


REHALIFT PAWEŁ ZDEB
 ul. Zurawinowa 6
 63-200 Jarocin (48) POLAND
 507 507 014 -

To.
 Reset - wersja nieprzelotowa
 Kabina: 950 x 1300 [mm]
 www.rehalift.pl / biuro@rehalift.pl (48) PL



Date 14/01/2017
IGV estimate N° D5D-2017-00683/0
Distributor estim. N° 132
Customer ref. RehaLIFT

Shaft type Reinforced concrete (wedge fixing type)
 Cabinet dimensions 600x280 h 1160 mm

Dist. MR-shaft 2.000 mm
 Drop M.R.- pit 100 mm
 Fully loaded car: 690 daN
 SX load 65 daN
 SY load 225 daN



WARNING: verify that the wall depth, on the side of the doors with 75 mm hinge upright is not larger than 150 mm in order to guarantee the space needed by the door



Kierunek otwierania drzwi skrzydłowych na przystanku 0: "LEWE".

IGV estimate N°
 Distributor estim. N°

D5D-2017-00683/0
 132


Customer acceptance

Date _____ Signature _____

REHALIFT PAWEŁ ZDEB
ul. Zurawinowa 6
63-200 Jarocin (48) POLAND
507 507 014 -

To.
Reset - wersja nieprzelotowa
Kabina: 950 x 1300 [mm]
www.rehalift.pl / biuro@rehalift.pl (48) PL

Date 14/01/2017
IGV estimate N° D5D-2017-00683/0
Distributor estim. N° 132
Customer ref. RehaLIFT



Kierunek otwierania drzwi skrzydłowych na przystanku 1: "PRAWIE".

IGV estimate N°
Distributor estim. N°.

D5D-2017-00683/0
132

Customer acceptance

Date

Signature


REHALIFT PAWEŁ ZDEB
 ul. Zurawinowa 6
 63-200 Jarocin (48) POLAND
 507 507 014 -

To.
 Reset - wersja nieprzelotowa
 Kabina: 950 x 1300 [mm]
 www.rehalift.pl / biuro@rehalift.pl (48) PL



Date 14/01/2017
IGV estimate N° D5D-2017-00683/0
Distributor estim. N° 132
Customer ref. RehaLIFT

Shaft type Reinforced concrete (wedge fixing type)
 Cabinet dimensions 600x280 h 1160 mm

Dist. MR-shaft 2.000 mm
 Drop M.R.- pit 100 mm
 Fully loaded car: 690 daN
 SX load 65 daN
 SY load 225 daN



WARNING: verify that the wall depth, on the side of the doors with 75 mm hinge upright is not larger than 150 mm in order to guarantee the space needed by the door



Kierunek otwierania drzwi skrzydłowych na przystanku 0: "PRAWE".

IGV estimate N°
 Distributor estim. N°

D5D-2017-00683/0
 132

Customer acceptance


Date

Signature

REHALIFT PAWEŁ ZDEB
ul. Zurawinowa 6
63-200 Jarocin (48) POLAND
507 507 014 -

To.
Reset - wersja nieprzelotowa
Kabina: 950 x 1300 [mm]
www.rehalift.pl / biuro@rehalift.pl (48) PL

Date 14/01/2017
IGV estimate N° D5D-2017-00683/0
Distributor estim. N° 132
Customer ref. RehaLIFT



Kierunek otwierania drzwi skrzydłowych na przystanku 1: "LEWE".

IGV estimate N°
Distributor estim. N°.

D5D-2017-00683/0
132

Customer acceptance

Date

Signature


REHALIFT PAWEŁ ZDEB
 ul. Zurawinowa 6
 63-200 Jarocin (48) POLAND
 507 507 014 -

To.
 Reset - wersja nieprzelotowa
 Kabina: 950 x 1300 [mm]
 www.rehalift.pl / biuro@rehalift.pl (48) PL



Date 14/01/2017
IGV estimate N° D5D-2017-00683/0
Distributor estim. N° 132
Customer ref. RehaLIFT

Shaft type Reinforced concrete (wedge fixing type)
 Cabinet dimensions 600x280 h 1160 mm

Dist. MR-shaft 2.000 mm
 Drop M.R.- pit 100 mm
 Fully loaded car: 690 daN
 SX load 65 daN
 SY load 225 daN



WARNING: verify that the wall depth, on the side of the doors with 75 mm hinge upright is not larger than 150 mm in order to guarantee the space needed by the door



Kierunek otwierania drzwi skrzydłowych na przystanku 0 i 1: "PRAWO".

IGV estimate N°
 Distributor estim. N°

D5D-2017-00683/0
 132


Customer acceptance

Date _____ Signature _____

REHALIFT PAWEŁ ZDEB
ul. Zurawinowa 6
63-200 Jarocin (48) POLAND
507 507 014 -

To.
Reset - wersja nieprzelotowa
Kabina: 950 x 1300 [mm]
www.rehalift.pl / biuro@rehalift.pl (48) PL

Date 14/01/2017
IGV estimate N° D5D-2017-00683/0
Distributor estim. N° 132
Customer ref. RehaLIFT



IGV estimate N°
Distributor estim. N°.

D5D-2017-00683/0
132

Customer acceptance

Date _____ Signature _____


REHALIFT PAWEŁ ZDEB
 ul. Zurawinowa 6
 63-200 Jarocin (48) POLAND
 507 507 014 -

To.
 Reset - wersja nieprzelotowa
 Kabina: 950 x 1300 [mm]
 www.rehalift.pl / biuro@rehalift.pl (48) PL



Date 14/01/2017
IGV estimate N° D5D-2017-00683/0
Distributor estim. N°. 132
Customer ref.

Shaft type Reinforced concrete (wedge fixing type)
 Cabinet dimensions 600x280 h 1160 mm

Dist. MR-shaft 2.000 mm
 Drop M.R.- pit 100 mm
 Fully loaded car: 690 daN
 SX load 65 daN
 SY load 225 daN



WARNING: verify that the wall depth, on the side of the doors with 75 mm hinge upright is not larger than 150 mm in order to guarantee the space needed by the door



Kierunek otwierania drzwi skrzydłowych na przystanku 0 i 1: "LEWE".

IGV estimate N°
 Distributor estim. N°.

D5D-2017-00683/0
 132

Customer acceptance


Date

Signature

REHALIFT PAWEŁ ZDEB
ul. Zurawinowa 6
63-200 Jarocin (48) POLAND
507 507 014 -

To.
Reset - wersja nieprzelotowa
Kabina: 950 x 1300 [mm]
www.rehalift.pl / biuro@rehalift.pl (48) PL

Date 14/01/2017
IGV estimate N° D5D-2017-00683/0
Distributor estim. N°. 132
Customer ref.



IGV estimate N°
Distributor estim. N°.

D5D-2017-00683/0
132

Customer acceptance

Date _____ Signature _____